

3rdGrade Mathematics • Unpacked Content

For the new Common Core State Standards that will be effective in all North Carolina schools in the 2012-13 school year.

This document is designed to help North Carolina educators teach the Common Core (Standard Course of Study). NCDPI staff are continually updating and improving these tools to better serve teachers.

What is the purpose of this document?

To increase student achievement by ensuring educators understand specifically what the new standards mean a student must know, understand and be able to do. This document may also be used to facilitate discussion among teachers and curriculum staff and to encourage coherence in the sequence, pacing, and units of study for grade-level curricula. This document, along with on-going professional development, is one of many resources used to understand and teach the CCSS.

What is in the document?

Descriptions of what each standard means a student will know, understand and be able to do. The "unpacking" of the standards done in this document is an effort to answer a simple question "What does this standard mean that a student must know and be able to do?" and to ensure the description is helpful, specific and comprehensive for educators.

How do I send Feedback?

We intend the explanations and examples in this document to be helpful and specific. That said, we believe that as this document is used, teachers and educators will find ways in which the unpacking can be improved and made ever more useful. Please send feedback to us at feedback@dpi.state.nc.us and we will use your input to refine our unpacking of the standards. Thank You!

Just want the standards alone?

You can find the standards alone at http://corestandards.org/the-standards

At A Glance

This page provides a snapshot of the mathematical concepts that are new or have been removed from this grade level as well as instructional considerations for the first year of implementation.

New to 3rd Grade:

• Area and perimeter (3.MD.5, 3.MD.6, 3.MD.7, 3.MD.8)

Moved from 3rd Grade:

- Permutation and combinations (4.02, 4.03)
- Rectangular Coordinate System (3.02)
- Circle graphs (4.01)

Notes:

- Topics may appear to be similar between the CCSS and the 2003 NCSCOS; however, the CCSS may be presented at a higher cognitive demand.
- For more detailed information see Math Crosswalks: http://www.dpi.state.nc.us/acre/standards/support-tools/

Instructional considerations for CCSS implementation in 2012-2013

• No major shifts in 2nd grade content that should affect the first year of implementation of CCSS for 3rd grade standards.

Standards for Mathematical Practices

The Common Core State Standards for Mathematical Practice are expected to be integrated into every mathematics lesson for all students Grades K-12. Below are a few examples of how these Practices may be integrated into tasks that students complete.

Mathematic Practices	Explanations and Examples
1. Make sense of problems and persevere in solving	In third grade, mathematically proficient students know that doing mathematics involves solving problems and discussing how they solved them. Students explain to themselves the meaning of a problem and look for ways to solve
them.	it. Third graders may use concrete objects or pictures to help them conceptualize and solve problems. They may check
them.	their thinking by asking themselves, "Does this make sense?" They listen to the strategies of others and will try
	different approaches. They often will use another method to check their answers.
2. Reason abstractly and	Mathematically proficient third graders should recognize that a number represents a specific quantity. They connect
quantitatively.	the quantity to written symbols and create a logical representation of the problem at hand, considering both the
	appropriate units involved and the meaning of quantities.
3. Construct viable	In third grade, mathematically proficient students may construct arguments using concrete referents, such as objects,
arguments and critique the	pictures, and drawings. They refine their mathematical communication skills as they participate in mathematical
reasoning of others.	discussions involving questions like "How did you get that?" and "Why is that true?" They explain their thinking to
4. Model with mathematics.	others and respond to others' thinking. Mathematically proficient students experiment with representing problem situations in multiple ways including
4. Widder with mathematics.	numbers, words (mathematical language), drawing pictures, using objects, acting out, making a chart, list, or graph,
	creating equations, etc. Students need opportunities to connect the different representations and explain the
	connections. They should be able to use all of these representations as needed. Third graders should evaluate their
	results in the context of the situation and reflect on whether the results make sense.
5. Use appropriate tools	Mathematically proficient third graders consider the available tools (including estimation) when solving a
strategically.	mathematical problem and decide when certain tools might be helpful. For instance, they may use graph paper to find
	all the possible rectangles that have a given perimeter. They compile the possibilities into an organized list or a table,
	and determine whether they have all the possible rectangles.
6. Attend to precision.	Mathematically proficient third graders develop their mathematical communication skills, they try to use clear and
	precise language in their discussions with others and in their own reasoning. They are careful about specifying units of
	measure and state the meaning of the symbols they choose. For instance, when figuring out the area of a rectangle they record their answers in square units.
7. Look for and make use of	In third grade mathematically proficient students look closely to discover a pattern or structure. For instance, students
structure.	use properties of operations as strategies to multiply and divide (commutative and distributive properties).
8. Look for and express	Mathematically proficient students in third grade should notice repetitive actions in computation and look for more
regularity in repeated	shortcut methods. For example, students may use the distributive property as a strategy for using products they know
reasoning.	to solve products that they don't know. For example, if students are asked to find the product of 7 x 8, they might
	decompose 7 into 5 and 2 and then multiply 5 x 8 and 2 x 8 to arrive at 40 + 16 or 56. In addition, third graders
	continually evaluate their work by asking themselves, "Does this make sense?"

Grade 3 Critical Areas

The Critical Areas are designed to bring focus to the standards at each grade by describing the big ideas that educators can use to build their curriculum and to guide instruction. The Critical Areas for third grade can be found on page 21 in the Common Core State Standards for Mathematics.

1. Developing understanding of multiplication and division and strategies for multiplication and division within 100.

Students develop an understanding of the meanings of multiplication and division of whole numbers through activities and problems involving equal-sized groups, arrays, and area models; multiplication is finding an unknown product, and division is finding an unknown factor in these situations. For equal-sized group situations, division can require finding the unknown number of groups or the unknown group size. Students use properties of operations to calculate products of whole numbers, using increasingly sophisticated strategies based on these properties to solve multiplication and division problems involving single-digit factors. By comparing a variety of solution strategies, students learn the relationship between multiplication and division.

2. Developing understanding of fractions, especially unit fractions (fractions with numerator 1).

Students develop an understanding of fractions, beginning with unit fractions. Students view fractions in general as being built out of unit fractions, and they use fractions along with visual fraction models to represent parts of a whole. Students understand that the size of a fractional part is relative to the size of the whole. For example, 1/2 of the paint in a small bucket could be less paint than 1/3 of the paint in a larger bucket, but 1/3 of a ribbon is longer than 1/5 of the same ribbon because when the ribbon is divided into 3 equal parts, the parts are longer than when the ribbon is divided into 5 equal parts. Students are able to use fractions to represent numbers equal to, less than, and greater than one. They solve problems that involve comparing fractions by using visual fraction models and strategies based on noticing equal numerators or denominators.

3. Developing understanding of the structure of rectangular arrays and of area.

Students recognize area as an attribute of two-dimensional regions. They measure the area of a shape by finding the total number of same-size units of area required to cover the shape without gaps or overlaps, a square with sides of unit length being the standard unit for measuring area. Students understand that rectangular arrays can be decomposed into identical rows or into identical columns. By decomposing rectangles into rectangular arrays of squares, students connect area to multiplication, and justify using multiplication to determine the area of a rectangle.

4. Describing and analyzing two-dimensional shapes.

Students describe, analyze, and compare properties of two-dimensional shapes. They compare and classify shapes by their sides and angles, and connect these with definitions of shapes. Students also relate their fraction work to geometry by expressing the area of part of a shape as a unit fraction of the whole.

Operations and Algebraic Thinking

3.0A

Common Core Cluster

Represent and solve problems involving multiplication and division.

Students develop an understanding of the meanings of multiplication and division of whole numbers through activities and problems involving equal-sized groups, arrays, and area models; multiplication is finding an unknown product, and division is finding an unknown factor in these situations. For equal-sized group situations, division can require finding the unknown number of groups or the unknown group size.

Mathematically proficient students communicate precisely by engaging in discussion about their reasoning using appropriate mathematical language. The terms students should learn to use with increasing precision with this cluster are: **products**, **groups of**, **quotients**, **partitioned equally**, **multiplication**, **division**, **equal groups**, **arrays**, **equations**, **unknown**

Common Core Standard	Unpacking
	What do these standards mean a child will know and be able to do?
3.OA.1 Interpret products of whole numbers, e.g., interpret 5 × 7 as the total number of objects in 5 groups of 7 objects each. For example, describe a context in which a total number of objects can be expressed as 5 × 7.	This standard interpret products of whole numbers. Students recognize multiplication as a means to determine the total number of objects when there are a specific number of groups with the same number of objects in each group. Multiplication requires students to think in terms of groups of things rather than individual things. Students learn that the multiplication symbol 'x' means "groups of" and problems such as 5 x 7 refer to 5 groups of 7. Example: Jim purchased 5 packages of muffins. Each package contained 3 muffins. How many muffins did Jim purchase? 5 groups of 3, 5 x 3 = 15. Describe another situation where there would be 5 groups of 3 or 5 x 3.
3.OA.2 Interpret whole-number quotients of whole numbers, e.g., interpret 56 ÷ 8 as the number of objects in each share when 56 objects are partitioned equally into 8 shares, or as a number of shares when 56 objects are partitioned into equal shares of 8 objects each. For example, describe a context in which a number of shares or a number of groups can be expressed as 56 ÷ 8.	This standard focuses on two distinct models of division: partition models and measurement (repeated subtraction) models. Partition models focus on the question, "How many in each group?" A context for partition models would be: There are 12 cookies on the counter. If you are sharing the cookies equally among three bags, how many cookies will go in each bag? OOO OOO OOO Measurement (repeated subtraction) models focus on the question, "How many groups can you make?" A context for measurement models would be: There are 12 cookies on the counter. If you put 3 cookies in each bag, how many bags will you fill?

3.OA.3 Use multiplication and division within 100 to solve word problems in situations involving equal groups, arrays, and measurement quantities, e.g., by using drawings and equations with a symbol for the unknown number to represent the problem.¹


¹ See Glossary, Table 2. (page 89) (Table included at the end of this document for your convenience)

This standard references various strategies that can be used to solve word problems involving multiplication & division. Students should apply their skills to solve word problems. Students should use a variety of representations for creating and solving one-step word problems, such as: If you divide 4 packs of 9 brownies among 6 people, how many cookies does each person receive? $(4 \times 9 = 36, 36 \div 6 = 6)$. Glossary page 89, Table 2 (table also included at the end of this document for your convenience) gives examples of a variety of problem solving contexts, in which students need to find the product, the group size, or the number

Examples of multiplication:

There are 24 desks in the classroom. If the teacher puts 6 desks in each row, how many rows are there? This task can be solved by drawing an array by putting 6 desks in each row. This is an array model

of groups. Students should be given ample experiences to explore all of the different problem structures.



This task can also be solved by drawing pictures of equal groups. 4 groups of 6 equals 24 objects









A student could also reason through the problem mentally or verbally, "I know 6 and 6 are 12. 12 and 12 are 24. Therefore, there are 4 groups of 6 giving a total of 24 desks in the classroom."


A number line could also be used to show equal jumps.

Students in third grade students should use a variety of pictures, such as stars, boxes, flowers to represent unknown numbers (variables). Letters are also introduced to represent unknowns in third grade.

Examples of Division:

There are some students at recess. The teacher divides the class into 4 lines with 6 students in each line. Write a division equation for this story and determine how many students are in the class ($\Box \div 4 = 6$. There are 24 students in the class).

Determining the number of objects in each share (partitive division, where the size of the groups is unknown): Example: The bag has 92 hair clips, and Laura and her three friends want to share them equally. How many hair clips will each person receive?



Determining the number of shares (measurement division, where the number of groups is unknown) Example:

Max the monkey loves bananas. Molly, his trainer, has 24 bananas. If she gives Max 4 bananas each day, how many days will the bananas last?

Starting	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6
24	24 - 4 = 20	20 - 4 = 16	16 - 4 = 12	12 - 4 = 8	8 - 4 = 4	4 - 4 = 0

Solution: The bananas will last for 6 days.

3.OA.4 Determine the unknown whole number in a multiplication or division equation relating three whole numbers. For example, determine the unknown number that makes the equation true in each of the equations $8 \times ? = 48$, $5 = \div 3$, $6 \times 6 = ?$

This standard refers to Glossary page 89, Table 2 (table also included at the end of this document for your convenience) and equations for the different types of multiplication and division problem structures. The easiest problem structure includes Unknown Product (3 x 6 = ? or $18 \div 3 = 6$). The more difficult problem structures include Group Size Unknown (3 x ? = 18 or $18 \div 3 = 6$) or Number of Groups Unknown (? x 6 = 18, $18 \div 6 = 3$). The focus of 3.OA.4 goes beyond the traditional notion of *fact families*, by having students explore the inverse relationship of multiplication and division.

Students apply their understanding of the meaning of the equal sign as "the same as" to interpret an equation with an unknown. When given $4 \times ? = 40$, they might think:

- 4 groups of some number is the same as 40
- 4 times some number is the same as 40
- I know that 4 groups of 10 is 40 so the unknown number is 10
- The missing factor is 10 because 4 times 10 equals 40.

Equations in the form of a x b = c and c = a x b should be used interchangeably, with the unknown in different
positions.
Example:
Solve the equations below:
$24 = ? \times 6$
$72 \div \bigwedge = 9$
Rachel has 3 bags. There are 4 marbles in each bag. How many marbles does Rachel have altogether? $3 \times 4 = m$

Common Core Cluster

Understand properties of multiplication and the relationship between multiplication and division.

Students use properties of operations to calculate products of whole numbers, using increasingly sophisticated strategies based on these properties to solve multiplication and division problems involving single-digit factors. By comparing a variety of solution strategies, students learn the relationship between multiplication and division.

Mathematically proficient students communicate precisely by engaging in discussion about their reasoning using appropriate mathematical language. The terms students should learn to use with increasing precision with this cluster are: **operation**, **multiply**, **divide**, **factor**, **product**, **quotient**, **strategies**, **(properties)-rules about how numbers work**

Common Core Standard

Unpacking

What do these standards mean a child will know and be able to do?

3.OA.5 Apply properties of operations as strategies to multiply and divide.² Examples: If $6 \times 4 = 24$ is known, then $4 \times 6 = 24$ is also known.

(Commutative property of multiplication.) $3 \times 5 \times 2$ can be found by $3 \times 5 = 15$, then $15 \times 2 = 30$, or by $5 \times 2 = 10$, then $3 \times 10 = 30$.

(Associative property of multiplication.) Knowing that $8 \times 5 = 40$ and $8 \times 2 = 16$, one can find 8×7 as $8 \times (5 + 2) = (8 \times 5) + (8 \times 2) = 40 + 16 = 56$.
(Distributive property.)

This standard references properties (rules about hoe numbers work) of multiplication. While students DO NOT need to not use the formal terms of these properties, student should understand that properties are rules about how numbers work, they need to be flexibly and fluently applying each of them. Students represent expressions using various objects, pictures, words and symbols in order to develop their understanding of properties. They multiply by 1 and 0 and divide by 1. They change the order of numbers to determine that the order of numbers does not make a difference in multiplication (but does make a difference in division). Given three factors, they investigate changing the order of how they multiply the numbers to determine that changing the order does not change the product. They also decompose numbers to build fluency with multiplication.

The associative property states that the sum or product stays the same when the grouping of addends or factors is changed. For example, when a student multiplies $7 \times 5 \times 2$, a student could rearrange the numbers to first multiply $5 \times 2 = 10$ and then multiply $10 \times 7 = 70$.

² Students need not use formal terms for these properties.

Students should have flexibility in being able to describe both dimensions of an array. Example: 4 x 5 4 x 5 or or 5 x 4 5 x 4 Students are introduced to the distributive property of multiplication over addition as a strategy for using products they know to solve products they don't know. Students would be using mental math to determine a product. Here are ways that students could use the distributive property to determine the product of 7 x 6. Again, students should use the distributive property, but can refer to this in informal language such as "breaking numbers apart". Student 1 Student 2 Student 3 7 x 6 7 x 6 7 x 6 $7 \times 5 = 35$ $7 \times 3 = 21$ $5 \times 6 = 30$ $7 \times 3 = 21$ $7 \times 1 = 7$ $2 \times 6 = 12$ 30 + 12 = 4235 + 7 = 4221 + 21 = 42Another example if the distributive property helps students determine the products and factors of problems by breaking numbers apart. For example, for the problem $7 \times 8 = ?$, students can decompose the 7 into a 5 and 2, and reach the answer by multiplying 5 x 8 = 40 and 2 x 8 = 16 and adding the two products (40 + 16 = 56). 2 x 8 5 x 8

To further develop understanding of properties related to multiplication and division, students use different representations and their understanding of the relationship between multiplication and division to determine if the following types of equations are true or false.

- $0 \times 7 = 7 \times 0 = 0$ (Zero Property of Multiplication)
- $1 \times 9 = 9 \times 1 = 9$ (Multiplicative Identity Property of 1)
- $3 \times 6 = 6 \times 3$ (Commutative Property)
- $8 \div 2 = 2 \div 8$ (Students are only to determine that these are not equal)
- $2 \times 3 \times 5 = 6 \times 5$
- $10 \times 2 < 5 \times 2 \times 2$
- $2 \times 3 \times 5 = 10 \times 3$
- $0 \times 6 > 3 \times 0 \times 2$

3.OA.6 Understand division as an unknown-factor problem.

For example, find $32 \div 8$ by finding the number that makes 32 when multiplied by 8.

This standard refers the Glossary on page 89, Table 2 (table also included at the end of this document for your convenience) and the various problem structures. Since multiplication and division are inverse operations, students are expected to solve problems and explain their processes of solving division problems that can also be represented as unknown factor multiplication problems.


Example:

A student knows that $2 \times 9 = 18$. How can they use that fact to determine the answer to the following question: 18 people are divided into pairs in P.E. class? How many pairs are there? Write a division equation and explain your reasoning.

Multiplication and division are inverse operations and that understanding can be used to find the unknown. Fact family triangles demonstrate the inverse operations of multiplication and division by showing the two factors and how those factors relate to the product and/or quotient.

Examples:

- $3 \times 5 = 15$ $5 \times 3 = 15$
- $15 \div 3 = 5$ $15 \div 5 = 3$



Common Core Cluster

Multiply and divide within 100.

Mathematically proficient students communicate precisely by engaging in discussion about their reasoning using appropriate mathematical language. The terms students should learn to use with increasing precision with this cluster are: **operation**, **multiply**, **divide**, **factor**, **product**, **quotient**, **unknown**, **strategies**, **reasonableness**, **mental computation**, **property**

Common Core Standard

Unpacking

What do these standards mean a child will know and be able to do?

3.OA.7 Fluently multiply and divide within 100, using strategies such as the relationship between multiplication and division (e.g., knowing that $8 \times 5 = 40$, one knows $40 \div 5 = 8$) or properties of operations. By the end of Grade 3, know from memory all products of two one-digit numbers.

This standard uses the word fluently, which means accuracy, efficiency (using a reasonable amount of steps and time), and flexibility (using strategies such as the distributive property). "Know from memory" should not focus only on timed tests and repetitive practice, but ample experiences working with manipulatives, pictures, arrays, word problems, and numbers to internalize the basic facts (up to 9 x 9).

By studying patterns and relationships in multiplication facts and relating multiplication and division, students build a foundation for fluency with multiplication and division facts. Students demonstrate fluency with multiplication facts through 10 and the related division facts. Multiplying and dividing fluently refers to knowledge of procedures, knowledge of when and how to use them appropriately, and skill in performing them flexibly, accurately, and efficiently.

Strategies students may use to attain fluency include:

- Multiplication by zeros and ones
- Doubles (2s facts), Doubling twice (4s), Doubling three times (8s)
- Tens facts (relating to place value, 5 x 10 is 5 tens or 50)
- Five facts (half of tens)
- Skip counting (counting groups of __ and knowing how many groups have been counted)
- Square numbers (ex: 3 x 3)
- Nines (10 groups less one group, e.g., 9 x 3 is 10 groups of 3 minus one group of 3)
- Decomposing into known facts (6 x 7 is 6 x 6 plus one more group of 6)
- Turn-around facts (Commutative Property)
- Fact families (Ex: $6 \times 4 = 24$; $24 \div 6 = 4$; $24 \div 4 = 6$; $4 \times 6 = 24$)
- Missing factors

General Note: Students should have exposure to multiplication and division problems presented in both vertical and horizontal forms.

Common Core Cluster

Solve problems involving the four operations, and identify and explain patterns in arithmetic.

Mathematically proficient students communicate precisely by engaging in discussion about their reasoning using appropriate mathematical language. The terms students should learn to use with increasing precision with this cluster are: operation, multiply, divide, factor, product, quotient, subtract, add, addend, sum, difference, equation, unknown, strategies, reasonableness, mental computation, estimation, rounding, patterns, (properties)-rules about how numbers work

about how numbers work		,					
Common Core Standard	Unpacking						
	What do these standards mean a ch	nild will know and be able to do?					
3.OA.8 Solve two-step word problems using the four operations. Represent these problems using equations with a letter standing for the unknown quantity. Assess the reasonableness of answers using mental computation and estimation strategies including	This standard refers to two-step word problems using the four operations. The size of the numbers should be limited to related 3 rd grade standards (e.g., 3.OA.7 and 3.NBT.2). Adding and subtracting numbers should include numbers within 1,000, and multiplying and dividing numbers should include single-digit factors and products less than 100. This standard calls for students to represent problems using equations with a letter to represent unknown quantities.						
rounding. ³	Example: Mike runs 2 miles a day. His goal is to run 25 miles. After 5 days, how many miles does Mike have left to run in order to meet his goal? Write an equation and find the solution $(2 \times 5 + m = 25)$.						
³ This standard is limited to problems posed with whole numbers and having whole-number answers; students should know how to perform operations in the conventional order when there are no parentheses to specify a particular order.	This standard refers to estimation strategies, including using compatible numbers (numbers that sum to 10, 50, or 100) or rounding. The focus in this standard is to have students use and discuss various strategies. Students should estimate during problem solving, and then revisit their estimate to check for reasonableness. Example: Here are some typical estimation strategies for the problem: On a vacation, your family travels 267 miles on the first day, 194 miles on the second day and 34 miles on the third day. How many total miles did they travel?						
	Student 1 I first thought about 267 and 34. I noticed that their sum is about 300. Then I knew that 194 is close to 200. When I put 300 and 200 together, I get 500.	Student 2 I first thought about 194. It is really close to 200. I also have 2 hundreds in 267. That gives me a total of 4 hundreds. Then I have 67 in 267 and the 34. When I put 67 and 34 together that is really close to 100. When I add that hundred to the 4 hundreds that I already had, I end up with 500.	Student 3 I rounded 267 to 300. I rounded 194 to 200. I rounded 34 to 30. When I added 300, 200 and 30, I know my answer will be about 530.				

3.OA.9 Identify arithmetic patterns (including patterns in the addition table or multiplication table), and explain them using properties of operations. For example, observe that 4 times a number is always even, and explain why 4 times a number can be decomposed into two equal addends.

The assessment of estimation strategies should only have one reasonable answer (500 or 530), or a range (between 500 and 550). Problems should be structured so that all acceptable estimation strategies will arrive at a reasonable answer.

This standard calls for students to examine arithmetic patterns involving both addition and multiplication. Arithmetic patterns are patterns that change by the same rate, such as adding the same number. For example, the series 2, 4, 6, 8, 10 is an arithmetic pattern that increases by 2 between each term.

This standards also mentions identifying patterns related to the properties of operations. Examples:

- Even numbers are always divisible by 2. Even numbers can always be decomposed into 2 equal addends (14 = 7 + 7).
- Multiples of even numbers (2, 4, 6, and 8) are always even numbers.
- On a multiplication chart, the products in each row and column increase by the same amount (skip counting).
- On an addition chart, the sums in each row and column increase by the same amount.

What do you notice about the numbers highlighted in pink in the multiplication table? Explain a pattern using properties of operations.

When (commutative property) one changes the order of the factors they will still gets the same product, example $6 \times 5 = 30$ and $5 \times 6 = 30$.

X	0	1	2	3	4	5	6	7	8	9	10
0	0	0	0	0	0	0	0	0	0	0	0
1	0	1	2	3	4	5	6	7	8	9	10
2	0	2	4	6	8	10	12	14	16	18	20
3	0	3	6	9	12	15	18	21	24	27	30
4	0	4	8	12	16	20	24	28	32	36	40
5	0	5	10	15	20	25	30	35	40	45	50
6	0	6	12	18	24	30	36	42	48	54	60
7	0	7	14	21	28	35	42	49	56	63	70
8	0	8	16	24	32	40	48	56	64	72	80
9	0	9	18	27	36	45	54	63	72	81	90
10	0	10	20	30	40	50	60	70	80	90	100

Teacher: What pattern do you notice when 2, 4, 6, 8, or 10 are multiplied by any number (even or odd)?

Student: The product will always be an even number.

Teacher: Why?

X	0	1	2	3	4	5	6	7	8	9	10
0	0	0	0	0	0	0	0	0	0	0	0
1	0	1	2	3	4	5	6	7	8	9	10
2	0	2	4	6	8	10	12	14	16	18	20
3	0	3	6	9	12	15	18	21	24	27	30
4	0	4	8	12	16	20	24	28	32	36	40
5	0	5	10	15	20	25	30	35	40	45	50
6	0	6	12	18	24	30	36	42	48	54	60
7	0	7	14	21	28	35	42	49	56	63	70
8	0	8	16	24	32	40	48	56	64	72	80
9	0	9	18	27	36	45	54	63	72	81	90
10	0	10	20	30	40	50	60	70	80	90	100

What patterns do you notice in this addition table? Explain why the pattern works this way?

+	0	1	2	3	4	5	6	7	8	9	10
0	0	1	2	3	4	5	6	7	8	9	10
1	1	2	3	4	5	6	7	8	9	10	11
2	2	3	4	5	6	7	8	9	10	11	12
3	3	4	5	6	7	8	9	10	11	12	13
4	4	5	6	7	8	9	10	11	12	13	14
5	5	6	7	8	9	10	11	12	13	14	15
6	6	7	8	9	10	11	12	13	14	15	16
7	7	8	9	10	11	12	13	14	15	16	17
8	8	9	10	11	12	13	14	15	16	17	18
9	9	10	11	12	13	14	15	16	17	18	19
10	19	11	12	13	14	15	16	17	18	19	20

Students need ample opportunities to observe and identify important numerical patterns related to operations. They should build on their previous experiences with properties related to addition and subtraction. Students investigate addition and multiplication tables in search of patterns and explain why these patterns make sense mathematically.

Example:

- Any sum of two even numbers is even.
- Any sum of two odd numbers is even.
- Any sum of an even number and an odd number is odd.
- The multiples of 4, 6, 8, and 10 are all even because they can all be decomposed into two equal groups.
- The doubles (2 addends the same) in an addition table fall on a diagonal while the doubles (multiples of 2) in a multiplication table fall on horizontal and vertical lines.
- The multiples of any number fall on a horizontal and a vertical line due to the commutative property.
- All the multiples of 5 end in a 0 or 5 while all the multiples of 10 end with 0. Every other multiple of 5 is a multiple of 10.

Students also investigate a hundreds chart in search of addition and subtraction patterns. They record and organize all the different possible sums of a number and explain why the pattern makes sense.

addend	addend	sum
0	20	20
1	19	20
2	18	20
3	17	20
4	16	20
20	0	20

Number and Operations in Base Ten

3.NBT


Common Core Cluster

Use place value understanding and properties of operations to perform multi-digit arithmetic. 1

Mathematically proficient students communicate precisely by engaging in discussion about their reasoning using appropriate mathematical language. The terms students should learn to use with increasing precision with this cluster are: place value, round, addition, add, addend, sum, subtraction, subtract, difference, strategies, (properties)-rules about how numbers work

Common Core Standard	Unpacking					
	What do these standards mean a child will know and be able to do?					
3.NBT.1 Use place value understanding to round whole numbers to the nearest 10 or 100.	This standard refers to place value understanding, which extends beyond an algorithm or procedure for rounding. The expectation is that students have a deep understanding of place value and number sense and can explain and reason about the answers they get when they round. Students should have numerous experiences using a number line and a hundreds chart as tools to support their work with rounding.					
3.NBT.2 Fluently add and subtract within 1000 using strategies and algorithms based on place value, properties of operations, and/or the relationship between addition and subtraction.	This standard refers to fluently, which means accuracy, efficiency (using a reasonable amount of steps and time), and flexibility (using strategies such as the distributive property). The word algorithm refers to a procedure or a series of steps. There are other algorithms other than the standard algorithm. Third grade students should have experiences beyond the standard algorithm. A variety of algorithms will be assessed on EOG. Problems should include both vertical and horizontal forms, including opportunities for students to apply the commutative and associative properties. Students explain their thinking and show their work by using strategies and algorithms, and verify that their answer is reasonable.					
¹ A range of algorithms may be used.	Example: There are 178 fourth graders and 225 fifth graders on the playground. What is the total number of students on the playground?					
	Student 1 $100 + 200 = 300$ $70 + 20 = 90$ $8 + 5 = 13$ $300 + 90 + 13 =$ 403 students Student 2 I added 2 to 178 to get 180. I added 220 to get 400. I added the 3 left over to get 403. Student 3 I know the 75 plus 25 equals 100. I then added 1 hundred from 178 and 2 hundreds from 275. I had a total of 4 hundreds and I had 3 more left to add. So I have 4 hundreds plus 3 more which is 403.					

¹ A range of algorithms may be used.



3.NBT.3 Multiply one-digit whole numbers by multiples of 10 in the range 10–90 (e.g., 9×80 , 5×60) using strategies based on place value and properties of operations.

This standard extends students' work in multiplication by having them apply their understanding of place value. This standard expects that students go beyond tricks that hinder understanding such as "just adding zeros" and explain and reason about their products.

For example, for the problem 50 x 4, students should think of this as 4 groups of 5 tens or 20 tens. Twenty tens equals 200.

Common Core Cluster

Develop understanding of fractions as numbers.

¹ Grade 3 expectations in this domain are limited to fractions with denominators 2, 3, 4, 6, 8.

Students develop an understanding of fractions, beginning with unit fractions. Students view fractions in general as being built out of unit fractions, and they use fractions along with visual fraction models to represent parts of a whole. Students understand that the size of a fractional part is relative to the size of the whole. For example, ½ of the paint in a small bucket could be less paint than 1/3 of the paint in a larger bucket, but 1/3 of a ribbon is longer than 1/5 of the same ribbon because when the ribbon is divided into 3 equal parts, the parts are longer than when the ribbon is divided into 5 equal parts. Students are able to use fractions to represent numbers equal to, less than, and greater than one. They solve problems that involve comparing fractions by using visual fraction models and strategies based on noticing equal numerators or denominators.

Mathematically proficient students communicate precisely by engaging in discussion about their reasoning using appropriate mathematical language. The terms students should learn to use with increasing precision with this cluster are: partition(ed), equal parts, fraction, equal distance (intervals), equivalent, equivalence, reasonable, denominator, numerator, comparison, compare, <, >, =, justify

Common Core Standard

Unpacking


What do these standards mean a child will know and be able to do?


3.NF.1 Understand a fraction 1/b as the quantity formed by 1 part when a whole is partitioned into b equal parts; understand a fraction a/b as the quantity formed by a parts of size 1/b.

This standard refers to the sharing of a whole being partitioned or split. Fraction models in third grade include area (parts of a whole) models (circles, rectangles, squares) and number lines. Set models (parts of a group) are not introduced in Third Grade. In 3.NF.1 students should focus on the concept that a fraction is made up (composed) of many pieces of a unit fraction, which has a numerator of 1. For example, the fraction 3/5 is composed of 3 pieces that each have a size of 1/5.

Some important concepts related to developing understanding of fractions include:

• Understand fractional parts must be equal-sized.





These are thirds These are NOT thirds

- The number of equal parts tell how many make a whole.
- As the number of equal pieces in the whole increases, the size of the fractional pieces decreases.



- The number of children in one-half of a classroom is different than the number of children in one-half of a school. (the whole in each set is different therefore the half in each set will be different)
- When a whole is cut into equal parts, the denominator represents the number of equal parts.
- The numerator of a fraction is the count of the number of equal parts.
 - o ³/₄ means that there are 3 one-fourths.
 - O Students can count one fourth, two fourths, three fourths.


Students express fractions as fair sharing, parts of a whole, and parts of a set. They use various contexts (candy bars, fruit, and cakes) and a variety of models (circles, squares, rectangles, fraction bars, and number lines) to develop understanding of fractions and represent fractions. Students need many opportunities to solve word problems that require fair sharing.

3.NF.2 Understand a fraction as a number on the number line; represent fractions on a number line diagram.

- a. Represent a fraction 1/b on a number line diagram by defining the interval from 0 to 1 as the whole and partitioning it into b equal parts. Recognize that each part has size 1/b and that the endpoint of the part based at 0 locates the number 1/b on the number line.
- b. Represent a fraction a/b on a number line diagram by marking off a lengths 1/b from 0. Recognize that the resulting interval has size a/b and that its endpoint locates the number a/b on the number line
- **3.NF.3** Explain equivalence of fractions in special cases, and compare fractions by reasoning about their size.
- **a.** Understand two fractions as equivalent (equal) if they are the same size, or the same point on a number line

The number line diagram is the first time students work with a number line for numbers that are between whole numbers (e.g., that ½ is between 0 and 1).

In the number line diagram below, the space between 0 and 1 is divided (partitioned) into 4 equal regions. The distance from 0 to the first segment is 1 of the 4 segments from 0 to 1 or \(^{1}/_{4}\) (3.NF.2a). Similarly, the distance from 0 to the third segment is 3 segments that are each one-fourth long. Therefore, the distance of 3 segments from 0 is the fraction \(^{3}/_{4}\) (3.NF.2b).



An important concept when comparing fractions is to look at the size of the parts and the number of the parts. For

example, $\frac{1}{8}$ is smaller than $\frac{1}{2}$ because when 1 whole is cut into 8 pieces, the pieces are much smaller than when 1 whole is cut into 2 pieces.

- **b.** Recognize and generate simple equivalent fractions, e.g., 1/2 = 2/4, 4/6 = 2/3). Explain why the fractions are equivalent, e.g., by using a visual fraction model.
- c. Express whole numbers as fractions, and recognize fractions that are equivalent to whole numbers. Examples: Express 3 in the form 3 = 3/1; recognize that 6/1 = 6; locate 4/4 and 1 at the same point of a number line diagram.
- d. Compare two fractions with the same numerator or the same denominator by reasoning about their size. Recognize that comparisons are valid only when the two fractions refer to the same whole. Record the results of comparisons with the symbols >, =, or <, and justify the conclusions, e.g., by using a visual fraction model.

3.NF.3a and **3.NF.3b** These standards call for students to use visual fraction models (area models) and number lines to explore the idea of equivalent fractions. Students should only explore equivalent fractions using models, rather than using algorithms or procedures.

This standard includes writing whole numbers as fractions. The concept relates to fractions as division problems, where the fraction 3/1 is 3 wholes divided into one group. This standard is the building block for later work where students divide a set of objects into a specific number of groups. Students must understand the meaning of a/1.

Example:

If 6 brownies are shared between 2 people, how many brownies would each person get?

This standard involves comparing fractions with or without visual fraction models including number lines. Experiences should encourage students to reason about the size of pieces, the fact that 1/3 of a cake is larger than 1/4 of the same cake. Since the same cake (the whole) is split into equal pieces, thirds are larger than fourths.

In this standard, students should also reason that comparisons are only valid if the wholes are identical. For example, ½ of a large pizza is a different amount than ½ of a small pizza. Students should be given opportunities to discuss and reason about which ½ is larger.

Measurement and Data

3.MD

Common Core Cluster

Solve problems involving measurement and estimation of intervals of time, liquid volumes, and masses of objects.

Mathematically proficient students communicate precisely by engaging in discussion about their reasoning using appropriate mathematical language. The terms students should learn to use with increasing precision with this cluster are: estimate, time, time intervals, minute, hour, elapsed time, measure, liquid volume, mass, standard units, metric, gram (g), kilogram (kg), liter (L)

3.MD.1 Tell and write time to the
nearest minute and measure time
intervals in minutes. Solve word
problems involving addition and
subtraction of time intervals in minutes,

e.g., by representing the problem on a

Unpacking Common Core

Unpacking


What do these standards mean a child will know and be able to do?

This standard calls for students to solve elapsed time, including word problems. Students could use clock models or number lines to solve. On the number line, students should be given the opportunities to determine the intervals and size of jumps on their number line. Students could use pre-determined number lines (intervals every 5 or 15 minutes) or open number lines (intervals determined by students).

Example:

number line diagram.

Tonya wakes up at 6:45 a.m. It takes her 5 minutes to shower, 15 minutes to get dressed, and 15 minutes to eat breakfast. What time will she be ready for school?



3.MD.2 Measure and estimate liquid volumes and masses of objects using standard units of grams (g), kilograms (kg), and liters (l). Add, subtract, multiply, or divide to solve one-step word problems involving masses or volumes that are given in the same units, e.g., by using drawings (such as a beaker with a measurement scale) to represent the problem.²

This standard asks for students to reason about the units of mass and volume. Students need multiple opportunities weighing classroom objects and filling containers to help them develop a basic understanding of the size and weight of a liter, a gram, and a kilogram. Milliliters may also be used to show amounts that are less than a liter. Word problems should only be one-step and include the same units.

Example:

Students identify 5 things that weigh about one gram. They record their findings with words and pictures. (Students can repeat this for 5 grams and 10 grams.) This activity helps develop gram benchmarks. One large paperclip weighs about one gram. A box of large paperclips (100 clips) weighs about 100 grams so 10 boxes would weigh one kilogram.

Example:

A paper clip weighs about a) a gram, b) 10 grams, c) 100 grams?

Foundational understandings to help with measure concepts:

Understand that larger units can be subdivided into equivalent units (partition).

Understand that the same unit can be repeated to determine the measure (iteration).

Understand the relationship between the size of a unit and the number of units needed (compensatory principal).

¹ Excludes compound units such as cm³ and finding the geometric volume of a container.

² Excludes multiplicative comparison problems (problems involving notions of "times as much"; see Glossary, Table 2). (page 89)

(Table included at the end of this document for your convenience)

Common Core Cluster

Represent and interpret data.

Mathematically proficient students communicate precisely by engaging in discussion about their reasoning using appropriate mathematical language. The

terms students should learn to use with increasing precision with this cluster are: scale, scaled picture graph, scaled bar graph, line plot, data				
Common Core Standard	Unpacking			
	What do these standards mean a child will know and be able to do?			
3.MD.3 Draw a scaled picture graph	Students should have opportunities reading and solving problems using scaled graphs before being asked to draw			
and a scaled bar graph to represent a	one. The following graphs all use five as the scale interval, but students should experience different intervals to			
data set with several categories. Solve	further develop their understanding of scale graphs and number facts.			
one- and two-step "how many more"				
and "how many less" problems using	While exploring data concepts, students should Pose a question, Collect data, Analyze data, and Interpret data			
l	(PCAI). Students should be graphing data that is relevant to their lives			

information presented in scaled bar graphs.

For example, draw a bar graph in which each square in the bar graph might represent 5 pets.


Example:

Pose a question: Student should come up with a question. What is the typical genre read in our class? Collect and organize data: student survey

Pictographs: Scaled pictographs include symbols that represent multiple units. Below is an example of a pictograph with symbols that represent multiple units. Graphs should include a title, categories, category label, key, and data. How many more books did Juan read than Nancy?

Number of Books Read		
Nancy	\leftrightarrow \leftrightarrow \leftrightarrow	
Juan	***	
→ = 5 Books		

Single Bar Graphs: Students use both horizontal and vertical bar graphs. Bar graphs include a title, scale, scale label, categories, category label, and data.



Analyze and Interpret data:

- How many more nofiction books where read than fantasy books?
- Did more people read biography and mystery books or fiction and fantasy books?
- About how many books in all genres were read?
- Using the data from the graphs, what type of book was read more often than a mystery but less often than a fairytale?
- What interval was used for this scale?
- What can we say about types of books read? What is a typical type of book read?
- If you were to purchase a book for the class library which would be the best genre? Why?


3.MD.4 Generate measurement data by measuring lengths using rulers marked with halves and fourths of an inch. Show the data by making a line plot, where the horizontal scale is marked off in appropriate units— whole numbers, halves, or quarters.

Students in second grade measured length in whole units using both metric and U.S. customary systems. It's important to review with students how to read and use a standard ruler including details about halves and quarter marks on the ruler. Students should connect their understanding of fractions to measuring to one-half and one-quarter inch. Third graders need many opportunities measuring the length of various objects in their environment.

This standard provides a context for students to work with fractions by measuring objects to a quarter of an inch.

Example:

Measure objects in your desk to the nearest ½ or ¼ of an inch, display data collected on a line plot. How many objects measured ¼? ½? etc...



Common Core Cluster

Geometric measurement: understand concepts of area and relate area to multiplication and to addition.

Students recognize area as an attribute of two-dimensional regions. They measure the area of a shape by finding the total number of same size units of area required to cover the shape without gaps or overlaps, a square with sides of unit length being the standard unit for measuring area. Students understand that rectangular arrays can be decomposed into identical rows or into identical columns. By decomposing rectangles into rectangular arrays of squares, students connect area to multiplication, and justify using multiplication to determine the area of a rectangle.

Mathematically proficient students communicate precisely by engaging in discussion about their reasoning using appropriate mathematical language. The terms students should learn to use with increasing precision with this cluster are: attribute, area, square unit, plane figure, gap, overlap, square cm, square in, square in, square ft, nonstandard units, tiling, side length, decomposing


square in; square in; square it; nonstandard units, tiling, side length, decomposing			
Common Core Standard	Unpacking		
	What do these standards mean a child will know and be able to do?		
3.MD.5 Recognize area as an attribute of plane figures and understand concepts of area measurement.	These standards call for students to explore the concept of covering a region with "unit squares," which could include square tiles or shading on grid or graph paper.		
a. A square with side length 1 unit, called "a unit square," is said to			

3.M squ	have "one square unit" of area, and can be used to measure area. A plane figure which can be covered without gaps or overlaps by <i>n</i> unit squares is said to have an area of <i>n</i> square units. ID.6 Measure areas by counting unit ares (square cm, square m, square in, are ft, and improvised units).	Students should be counting the square units to find the area could be done in metric, customary, or non-standard			
	ID.7 Relate area to the operations of	Students should tile rectangle then multiply the side lengths to show it is the same.			
	tiplication and addition. Find the area of a rectangle with	To find the area one			
	whole-number side lengths by tiling it, and show that the area is the	could count the squares or multiply $3 \times 4 = 12$.			
	same as would be found by multiplying the side lengths.	9 10 11 12			
b.	Multiply side lengths to find areas of rectangles with whole-number side lengths in the context of solving real world and mathematical problems, and represent whole-number products as rectangular areas in mathematical reasoning.	Students should solve real world and mathematical problems Example: Drew wants to tile the bathroom floor using 1 foot tiles. How many square foot tiles will he need? 6 square feet 8 square feet			
	Use tiling to show in a concrete case that the area of a rectangle with whole-number side lengths a and $b + c$ is the sum of $a \times b$ and $a \times c$. Use area models to represent the distributive property in mathematical reasoning.	This standard extends students' work with the distributive property. For example, in the picture below the area of a 7 x 6 figure can be determined by finding the area of a 5 x 6 and 2 x 6 and adding the two sums.			

	Example:
d. Recognize area as additive. Find areas of rectilinear figures by decomposing them into non-overlapping rectangles and adding the areas of the non-overlapping parts, applying this technique to solve real world problems.	This standard uses the word rectilinear. A rectilinear figure is a polygon that has all right angles. How could this figure be decomposed to help find the area?
	This portion of the decomposed figure is a 4 x 2. This portion of the decomposed figure is 2 x 2.
	$4 \times 2 = 8 \text{ and } 2 \times 2 = 4$ So $8 + 4 = 12$ Therefore the total area of this figure is 12 square units


Example:

A storage shed is pictured below. What is the total area? How could the figure be decomposed to help find the area?



Example:

Students can decompose a rectilinear figure into different rectangles. They find the area of the figure by adding the areas of each of the rectangles together.



area is
$$12 \times 3 + 8 \times 7 =$$
 92 sq inches

Common Core Cluster

Geometric measurement: recognize perimeter as an attribute of plane figures and distinguish between linear and area measures.

Mathematically proficient students communicate precisely by engaging in discussion about their reasoning using appropriate mathematical language. The terms students should learn to use with increasing precision with this cluster are: **attribute**, **perimeter**, **plane figure**, **linear**, **area**, **polygon**, **side length**

Common Core Standard

Unpacking

What do these standards mean a child will know and be able to do?

3.MD.8 Solve real world and mathematical problems involving perimeters of polygons, including finding the perimeter given the side lengths, finding an unknown side length, and exhibiting rectangles with the same perimeter and different areas or with the same area and different perimeters.

Students develop an understanding of the concept of perimeter by walking around the perimeter of a room, using rubber bands to represent the perimeter of a plane figure on a geoboard, or tracing around a shape on an interactive whiteboard. They find the perimeter of objects; use addition to find perimeters; and recognize the patterns that exist when finding the sum of the lengths and widths of rectangles.

Students use geoboards, tiles, and graph paper to find all the possible rectangles that have a given perimeter (e.g., find the rectangles with a perimeter of 14 cm.) They record all the possibilities using dot or graph paper, compile the possibilities into an organized list or a table, and determine whether they have all the possible rectangles.

Given a perimeter and a length or width, students use objects or pictures to find the missing length or width. They justify and communicate their solutions using words, diagrams, pictures, numbers, and an interactive whiteboard.

Students use geoboards, tiles, graph paper, or technology to find all the possible rectangles with a given area (e.g. find the rectangles that have an area of 12 square units.) They record all the possibilities using dot or graph paper, compile the possibilities into an organized list or a table, and determine whether they have all the possible rectangles. Students then investigate the perimeter of the rectangles with an area of 12.

Area	Length	Width	Perimeter
12 sq. in.	1 in.	12 in.	26 in.
12 sq. in.	2 in.	6 in.	16 in.
12 sq. in	3 in.	4 in.	14 in.
12 sq. in	4 in.	3 in.	14 in.
12 sq. in	6 in.	2 in.	16 in.
12 sq. in	12 in.	1 in.	26 in.

The patterns in the chart allow the students to identify the factors of 12, connect the results to the commutative property, and discuss the differences in perimeter within the same area. This chart can also be used to investigate rectangles with the same perimeter. It is important to include squares in the investigation.

Geometry 3.G

Common Core Cluster

Reason with shapes and their attributes.

Students describe, analyze, and compare properties of two dimensional shapes. They compare and classify shapes by their sides and angles, and connect these with definitions of shapes. Students also relate their fraction work to geometry by expressing the area of part of a shape as a unit fraction of the whole.

Mathematically proficient students communicate precisely by engaging in discussion about their reasoning using appropriate mathematical language. The terms students should learn to use with increasing precision with this cluster are: attributes, properties, quadrilateral, open figure, closed figure, three-sided, 2-dimensional, 3-dimensional, rhombi, rectangles, and squares are subcategories of quadrilaterals, cubes, cones, cylinders, and rectangular prisms are subcategories of 3-dimensional figures shapes: polygon, rhombus/rhombi, rectangle, square, partition, unit fraction

From previous grades: triangle, quadrilateral, pentagon, hexagon, cube, trapezoid, half/quarter circle, circle, cone, cylinder, sphere


Common Core Standard

Unpacking

What do these standards mean a child will know and be able to do?

3.G.1 Understand that shapes in different categories (e.g., rhombuses, rectangles, and others) may share attributes (e.g., having four sides), and that the shared attributes can define a larger category (e.g., quadrilaterals). Recognize rhombuses, rectangles, and squares as examples of quadrilaterals, and draw examples of quadrilaterals that do not belong to any of these subcategories.

In second grade, students identify and draw triangles, quadrilaterals, pentagons, and hexagons. Third graders build on this experience and further investigate quadrilaterals (technology may be used during this exploration). Students recognize shapes that are and are not quadrilaterals by examining the properties of the geometric figures. They conceptualize that a quadrilateral must be a closed figure with four straight sides and begin to notice characteristics of the angles and the relationship between opposite sides. Students should be encouraged to provide details and use proper vocabulary when describing the properties of quadrilaterals. They sort geometric figures (see examples below) and identify squares, rectangles, and rhombuses as quadrilaterals.



Students should classify shapes by attributes and drawing shapes that fit specific categories. For example, parallelograms include: squares, rectangles, rhombi, or other shapes that have two pairs of parallel sides. Also, the broad category quadrilaterals include all types of parallelograms, trapezoids and other four-sided figures.

	Example: Draw a picture of a quadrilateral. Draw a picture of a rhombus. How are they alike? How are they different? Is a quadrilateral a rhombus? Is a rhombus a quadrilateral? Justify your thinking.	
3.G.2 Partition shapes into parts with equal areas. Express the area of each part as a unit fraction of the whole. For example, partition a shape into 4 parts with equal area, and describe the area of each part as 1/4 of the area of the shape.	This standard builds on students' work with fractions and area. Students are responsible for partitioning shapes into halves, thirds, fourths, sixths and eighths. Example: This figure was partitioned/divided into four equal parts. Each part is $\frac{1}{4}$ of the total area of the figure. Given a shape, students partition it into equal parts, recognizing that these parts all have the same area. They identify the fractional name of each part and are able to partition a shape into parts with equal areas in several different ways. $ \frac{1}{4} \frac{1}{4} \frac{1}{4} \frac{1}{1/4} $	

Some examples used in this document are from the Arizona Mathematics Education Department

Glossary

Table 1 Common addition and subtraction situations¹

	Result Unknown	Change Unknown	Start Unknown
Add to	Two bunnies sat on the grass. Three more bunnies hopped there. How many bunnies are on the grass now? $2 + 3 = ?$	Two bunnies were sitting on the grass. Some more bunnies hopped there. Then there were five bunnies. How many bunnies hopped over to the first two? 2 + ? = 5	Some bunnies were sitting on the grass. Three more bunnies hopped there. Then there were five bunnies. How many bunnies were on the grass before? $? + 3 = 5$
Take from	Five apples were on the table. I ate two apples. How many apples are on the table now? $5-2=$?	Five apples were on the table. I ate some apples. Then there were three apples. How many apples did I eat? $5-?=3$	Some apples were on the table. I ate two apples. Then there were three apples. How many apples were on the table before? $?-2=3$
	Total Unknown	Addend Unknown	Both Addends Unknown ²
Put Together/ Take Apart ³	Three red apples and two green apples are on the table. How many apples are on the table? $3 + 2 = ?$	Five apples are on the table. Three are red and the rest are green. How many apples are green? $3 + ? = 5, 5 - 3 = ?$	Grandma has five flowers. How many can she put in her red vase and how many in her blue vase? $5 = 0 + 5$, $5 = 5 + 0$ $5 = 1 + 4$, $5 = 4 + 1$ $5 = 2 + 3$, $5 = 3 + 2$
	Difference Unknown	Bigger Unknown	Smaller Unknown
	("How many more?" version): Lucy has two apples. Julie has five apples. How many more apples does Julie have than Lucy?	(Version with "more"): Julie has three more apples than Lucy. Lucy has two apples. How many apples does Julie have?	(Version with "more"): Julie has three more apples than Lucy. Julie has five apples. How many apples does Lucy have?
Compare ⁴	("How many fewer?" version): Lucy has two apples. Julie has five apples. How many fewer apples does Lucy have than Julie? 2 + ? = 5, 5 - 2 = ?	(Version with "fewer"): Lucy has 3 fewer apples than Julie. Lucy has two apples. How many apples does Julie have? 2 + 3 = ?, 3 + 2 = ?	(Version with "fewer"): Lucy has 3 fewer apples than Julie. Julie has five apples. How many apples does Lucy have? 5-3=?,?+3=5

²These take apart situations can be used to show all the decompositions of a given number. The associated equations, which have the total on the left of the equal sign, help children understand that the = sign does not always mean makes or results in but always does mean is the same number as.

³Either addend can be unknown, so there are three variations of these problem situations. Both Addends Unknown is a productive extension of this basic

situation, especially for small numbers less than or equal to 10.

⁴For the Bigger Unknown or Smaller Unknown situations, one version directs the correct operation (the version using more for the bigger unknown and using less for the smaller unknown). The other versions are more difficult.

¹Adapted from Box 2-4 of Mathematics Learning in Early Childhood, National Research Council (2009, pp. 32, 33).

Table 2 Common multiplication and division situations¹

	Unknown Product	Group Size Unknown ("How many in each group?" Division)	Number of Groups Unknown ("How many groups?" Division)
	$3 \times 6 = ?$	$3 \times ? = 18$, and $18 \div 3 = ?$	$? \times 6 = 18$, and $18 \div 6 = ?$
Egyal	There are 3 bags with 6 plums in each bag. How many plums are there in all?	If 18 plums are shared equally into 3 bags, then how many plums will be in each bag?	If 18 plums are to be packed 6 to a bag, then how many bags are needed?
Equal Groups	Measurement example. You need 3 lengths of string, each 6 inches long. How much string will you need altogether?	Measurement example. You have 18 inches of string, which you will cut into 3 equal pieces. How long will each piece of string be?	Measurement example. You have 18 inches of string, which you will cut into pieces that are 6 inches long. How many pieces of string will you have?
Arrays,² Area³	There are 3 rows of apples with 6 apples in each row. How many apples are there? Area example. What is the area of a	If 18 apples are arranged into 3 equal rows, how many apples will be in each row? Area example. A rectangle has area 18 square centimeters. If one side is 3 cm long,	If 18 apples are arranged into equal rows of 6 apples, how many rows will there be? Area example. A rectangle has area 18
	3 cm by 6 cm rectangle?	how long is a side next to it?	square centimeters. If one side is 6 cm long, how long is a side next to it?
	A blue hat costs \$6. A red hat costs 3 times as much as the blue hat. How much does the red hat cost?	A red hat costs \$18 and that is 3 times as much as a blue hat costs. How much does a blue hat cost?	A red hat costs \$18 and a blue hat costs \$6. How many times as much does the red hat cost as the blue hat?
Compare	Measurement example. A rubber band is 6 cm long. How long will the rubber band be when it is stretched to be 3 times as long?	Measurement example. A rubber band is stretched to be 18 cm long and that is 3 times as long as it was at first. How long was the rubber band at first?	Measurement example. A rubber band was 6 cm long at first. Now it is stretched to be 18 cm long. How many times as long is the rubber band now as it was at first?
General	$a \times b = ?$	$a \times ? = p$, and $p \div a = ?$	$? \times b = p$, and $p \div b = ?$

²The language in the array examples shows the easiest form of array problems. A harder form is to use the terms rows and columns: The apples in the grocery window are in 3 rows and 6 columns. How many apples are in there? Both forms are valuable.

³Area involves arrays of squares that have been pushed together so that there are no gaps or overlaps, so array problems include these especially important measurement situations.

¹The first examples in each cell are examples of discrete things. These are easier for students and should be given before the measurement examples.

Table 3 The properties of operations

Here a, b and c stand for arbitrary numbers in a given number system. The properties of operations apply to the rational number system, the real number system, and the complex number system.

Associative property of addition

$$(a + b) + c = a + (b + c)$$

Commutative property of addition

$$a + b = b + a$$

Additive identity property of 0

$$a + 0 = 0 + a = a$$

Associative property of multiplication

$$(a \times b) \times c = a \times (b \times c)$$

Commutative property of multiplication

$$a \times b = b \times a$$

Multiplicative identity property of 1

$$a \times 1 = 1 \times a = a$$

Distributive property of multiplication over addition

$$a \times (b+c) = a \times b + a \times c$$